

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0001

Ihr Zeichen <i>Client Reference</i>	Unser Zeichen <i>Our Reference</i>	Ausstellungsdatum	<i>Date of Issue</i>
17-306-018N	ZO--09560665 014	26.10.2017	(day/mo/yr)

Genehmigungsinhaber *License Holder*
IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*
IDEC CORPORATION
Takino Plant
355-18 Kuroishi, Kohtaka
Kato-shi, Hyogo
679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*
EN 60947-5-1:2016
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch

Type Designation

Pushbutton or Illuminated Pushbutton Switch:

HW II III-IV V VI VII VIII IX X XI XII-XIII-XIV-XV	5
II, III, IV, V, VI, VII, VIII, IX, X, XI, XII, XIII, XIV, XV	2
= (see Appendix 1)	

Selector Switch:

HW II III-IV V VI VII VIII IX X XI XII XIII XIV XV-XVI	5
XVII-XVIII-XIX	
II, III, IV, V, VI, VII, VIII, IX, X, XI, XII, XIII, XIV, XV,	2
XVI, XVII, XVIII, XIX = (see Appendix 1)	

Remark: Reissue of R 50189848 due to change of suffix of type designation.

continued on page 0002

ANLAGE (Appendix): 1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety



14

Zertifizierungsstelle

Adrian Fuentes

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.* Blatt *Sheet*
R 50391189 0002

Ihr Zeichen *Client Reference* Unser Zeichen *Our Reference* Ausstellungsdatum *Date of Issue*
17-306-018N ZO--09560665 014 26.10.2017 (day/mo/yr)

Genehmigungsinhaber *License Holder*

IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*

IDEC CORPORATION
Takino Plant
355-18 Kuroishi, Kohtaka
Kato-shi, Hyogo
679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*

EN 60947-5-1:2016
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit *License Fee - Unit*

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Continuation

Type Designation

Selector Pushbutton Switch:

HW II III-IV V VI VII VIII IX-X-XI 5
II, III, IV, V, VI, VII, VIII, IX, X, XI = (see Appendix 1) 1

Monolever Switch:

HW II III-IV V VI VII VIII IX-X XI-XII-XIII 5
II, III, IV, V, VI, VII, VIII, IX, X, XI, XII, XIII 1
= (see Appendix 1)

Dual Push-button:

HW II III-IV V VI VII VIII IX X XI XII XIII XIV-XV-XVI 5
II, III, IV, V, VI, VII, VIII, IX, X, XI, XII, XIII, XIV, XV, XVI = (see Appendix 1)

continued on page 0003



17

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

Zertifizierungsstelle

Adrian Fuentes

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.* Blatt *Sheet*
R 50391189 0003

Ihr Zeichen <i>Client Reference</i>	Unser Zeichen <i>Our Reference</i>	Ausstellungsdatum	<i>Date of Issue</i>
17-306-018N	ZO--09560665 014	26.10.2017	(day/mo/yr)

Genehmigungsinhaber <i>License Holder</i>	Fertigungsstätte <i>Manufacturing Plant</i>
IDEC CORPORATION 2-6-64 Nishi-Miyahara Yodogawa-ku, Osaka 532-0004 Japan	IDEC CORPORATION Takino Plant 355-18 Kuroishi, Kohtaka Kato-shi, Hyogo 679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*
EN 60947-5-1:2016
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation) <i>Certified Product (Product Identification)</i>	Lizenzentgelte - Einheit <i>License Fee - Unit</i>
--	---

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Continuation
Type Designation

Pushlock Turn Reset or Pushlock Key Reset Switch:
HW II III-IV V VI VII VIII IX-X-XI 1
II, III, IV, V, VI, VII, VIII, IX, X, XI = (see Appendix 1)

Push-Pull Switch:
HW II III-IV V VI VII VIII IX-X-XI 1
II, III, IV, V, VI, VII, VIII, IX, X, XI = (see Appendix 1)

Overvoltage Category: II
Pollution Degree for Contact Block Type HW-C, HW-F, HW-G:
Pollution Degree: 3 (Contact, without transformer,
with transformer Type HW-T)
2 (with transformer Type HW-L, TW-F)

continued on page 0004



Zertifizierungsstelle

Adrian Fuentes

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.* Blatt *Sheet*
R 50391189 0004

Ihr Zeichen *Client Reference* Unser Zeichen *Our Reference* Ausstellungsdatum *Date of Issue*
17-306-018N ZO--09560665 014 26.10.2017 (day/mo/yr)

Genehmigungsinhaber *License Holder*

IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*

IDEC CORPORATION
Takino Plant
355-18 Kuroishi, Kohtaka
Kato-shi, Hyogo
679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*

EN 60947-5-1:2016
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit *License Fee - Unit*

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Continuation

Pollution Degree for Contact Block Type HW-U:
Pollution Degree: 3 (Contact, without transformer,
with transformer Type HW-T,
with transformer Type HW-L,
with transformer Type TW-F)

Rated Conditional
Short-Circuit Current: 100A

Utilization Category for Contact Block Type HW-U: 2
Utilization Category: AC-15 AC-15 AC-15 DC-13 DC-13
Operational Voltage: 250V 400V 600V 125V 125V
Operational Current: 3A 2A 1,2A 1,1A 0,9A

continued on page 0005



2

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Adrian Fuentes

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0005

Ihr Zeichen <i>Client Reference</i>	Unser Zeichen <i>Our Reference</i>	Ausstellungsdatum	<i>Date of Issue</i>
17-306-018N	ZO--09560665 014	26.10.2017	(day/mo/yr)

Genehmigungsinhaber *License Holder*

IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*

IDEC Izumi Taiwan Corp.
87, Swi Kuan Road,
Chu Hou Village, Jen Wu District,
Kaohsiung City 81465
Taiwan, R.O.C.

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*

EN 60947-5-1:2016
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit *License Fee - Unit*

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Continuation

Utilization Category for Contact Block Type HW-C, HW-F, HW-G:

Utilization Category: AC-15 DC-13 DC-13

Operational Voltage: 250V 125V 125V

Operational Current: 3A 1,1A 0,9A

Insulation Voltage: 600V

Protection Class: for use in class II equipment

Frequency: 50/60 Hz, DC

Rated Impulse Voltage: 4kV/2,5kV (see Appendix 1)

IP-Degree: IP65 (Front Panel)

IP20 (Terminal for with contact
block type HW-F and HW-U)

IP40 (Only for dual pushbutton switch)

Addition

Factory: (see above)



Zertifizierungsstelle

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.

This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com

Fax: +49 221 806-3935 http://www.tuv.com/safety

Adrian Fuentes

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0006

Ihr Zeichen <i>Client Reference</i>	Unser Zeichen <i>Our Reference</i>	Ausstellungsdatum	<i>Date of Issue</i>
17-306-018N	ZO--09560665 014	26.10.2017	(day/mo/yr)

Genehmigungsinhaber *License Holder*

IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*

IDEC CORPORATION
Minamiyama Plant
1-12 Haze, Issai-cho,
Tatsuno-shi, Hyogo
679-4017 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*

EN 60947-5-1:2016
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit *License Fee - Unit*

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Addition

Factory: (see above)



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifizierungsstelle

Adrian Fuentes

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0007

<i>Ihr Zeichen Client Reference</i>	<i>Unser Zeichen Our Reference</i>	<i>Ausstellungsdatum Date of Issue</i>	<i>(day/mo/yr)</i>
-	ZO--09560665 015	10.05.2018	

Genehmigungsinhaber *License Holder*
IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*
IDEC CORPORATION
Takino Plant
355-18 Kuroishi, Kohtaka
Kato-shi, Hyogo
679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*
EN 60947-5-1:2004+A1
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Change

Test Requirement: EN 60947-5-1:2016
IEC 60947-5-1:2016

changed to: (see above)



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifizierungsstelle

Vilmos Sztaroveczki

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0008

Ihr Zeichen *Client Reference*
19-306-11N

Unser Zeichen *Our Reference*
ZK-RYK-09560665 018

Ausstellungsdatum *Date of Issue*
27.08.2019 (day/mo/yr)

Genehmigungsinhaber *License Holder*
IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*
IDEC CORPORATION
Takino Plant
355-18 Kuroishi, Kohtaka
Kato-shi, Hyogo
679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*
EN 60947-5-1:2004+A1
IEC 60947-5-1:2016

Zertifiziertes Produkt (*Geräteidentifikation*)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Addition

For Type Designations

Pushbutton or Illuminated Pushbutton Switch:

HW II III-IV V VI VII VIII IX X XI XII-XIII-XIV-XV :

Value for suffix VII: VII = P

II, III, IV, V, VI, VIII, IX, X, XI, XII, XIII, XIV, XV

= (see Appendix 1.1) :

1

Selector Switch:

HW II III-IV V VI VII VIII IX X XI XII XIII XIV XV-XVI
XVII-XVIII-XIX :

Value for suffix IX: IX = P

II, III, IV, V, VI, VII, VIII, X, XI, XII, XIII, XIV, XV, XVI,
XVII-XVIII-XIX

= (see Appendix 1.1) :

1

continued on page 0009

ANLAGE (Appendix): 1.1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety



Zertifizierungsstelle

Adrian Fuentes

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.* R 50391189
Blatt *Sheet* 0009

Ihr Zeichen *Client Reference* 19-306-11N
Unser Zeichen *Our Reference* ZK-RYK-09560665 018
Ausstellungsdatum *Date of Issue* 27.08.2019
(day/mo/yr)

Genehmigungsinhaber *License Holder*

IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*

IDEC CORPORATION
Takino Plant
355-18 Kuroishi, Kohtaka
Kato-shi, Hyogo
679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*

EN 60947-5-1:2004+A1
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit *License Fee - Unit*

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Continuation

Selector Pushbutton Switch:

HW II III-IV V VI VII VIII IX-X-XI :

Value for suffix VI: VI = P

II, III, IV, V, VII, VIII, IX, X, XI = (see Appendix 1.1)

1

Monolever Switch:

HW II III-IV V VI VII VIII IX-X XI-XII-XIII :

Value for suffix V: V = P

II, III, IV, VI, VII, VIII, IX, X, XI, XII, XIII

= (see Appendix 1.1)

1

continued on page 0010



2

ANLAGE (Appendix): 1.1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

Zertifizierungsstelle

Adrian Fuentes

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com

Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0010

Ihr Zeichen *Client Reference*
19-306-11N

Unser Zeichen *Our Reference*
ZK-RYK-09560665 018

Ausstellungsdatum
27.08.2019

Date of Issue
(day/mo/yr)

Genehmigungsinhaber *License Holder*
IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*
IDEC CORPORATION
Takino Plant
355-18 Kuroishi, Kohtaka
Kato-shi, Hyogo
679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*
EN 60947-5-1:2004+A1
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Continuation

Dual Push-button:

HW II III-IV V VI VII VIII IX X XI XII XIII XIV-XV-XVI :

Value for suffix VII: VII = P

II, III, IV, V, VI, VIII, IX, X, XI, XII, XIII, XIV, XV, XVI

= (see Appendix 1.1)

1

Pushlock Turn Reset or Pushlock Key Reset switch:

HW II III-IV V VI VII VIII IX-X-XI :

Value for suffix VI: VI = P

II, III, IV, V, VII, VIII, IX, X, XI = (see Appendix 1.1)

1

Push-Pull Switch:

HW II III-IV V VI VII VIII IX-X-XI :

Value for suffix VI: VI = P

II, III, IV, V, VII, VIII, IX, X, XI = (see Appendix 1.1)

1

continued on page 0011

ANLAGE (Appendix): 1.1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht. This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.



Zertifizierungsstelle

Adrian Fuentes

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com

Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0011

Ihr Zeichen *Client Reference*
19-306-11N

Unser Zeichen *Our Reference*
ZK-RYK-09560665 018

Ausstellungsdatum
27.08.2019

Date of Issue
(day/mo/yr)

Genehmigungsinhaber *License Holder*
IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*
IDEC CORPORATION
Takino Plant
355-18 Kuroishi, Kohtaka
Kato-shi, Hyogo
679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*
EN 60947-5-1:2004+A1
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Continuation

Overvoltage Category: II
Pollution Degree for Contact block type HW-P:
Pollution Degree: 3 (Contact)
Rated Conditional
Short-Circuit Current: 100A
Utilization Category for Contact Block Type HW-P:
AC-15 AC-15 AC-15 DC-13
Operational Voltage: 250V 400V 600V 125V
Operational Current: 3A 2A 1,2A 1,1A
Insulation Voltage: 600V
Protection Class: for use in class II equipment
Frequency: 50/60Hz, DC
Rated Impulse Voltage: 4kV

continued on page 0012



ANLAGE (Appendix): 1.1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifizierungsstelle

Adrian Fuentes

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0012

Ihr Zeichen *Client Reference*
19-306-11N

Unser Zeichen *Our Reference*
ZK-RYK-09560665 018

Ausstellungsdatum *Date of Issue*
27.08.2019
(day/mo/yr)

Genehmigungsinhaber *License Holder*
IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*
IDEC CORPORATION
Minamiyama Plant
1-33 Haze, Issai-cho,
Tatsuno-shi, Hyogo
679-4017 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*

EN 60947-5-1:2004+A1
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Continuation

IP-Degree: IP65 (Front Panel)
IP20 (Terminal for with contact block
type HW-P)
IP40 (Only for dual pushbutton switch)

Change

Address of
Factory: 1-12 Haze, Issai-cho,
Tatsuno-shi, Hyogo
679-4017 Japan

changed to: (see above)

ANLAGE (Appendix): 1.1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.

This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety



Zertifizierungsstelle

Adrian Fuentes

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0013

Ihr Zeichen *Client Reference*
19-306-086N-1

Unser Zeichen *Our Reference*
ZK-RYK-09560665 020

Ausstellungsdatum *Date of Issue*
24.09.2020
(day/mo/yr)

Genehmigungsinhaber *License Holder*
IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*
IDEC CORPORATION
Takino Plant
355-18 Kuroishi, Kohtaka
Kato-shi, Hyogo
679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*
EN 60947-5-1:2017
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Change

Test requirement: EN 60947-5-1:2004+A1
Changed to: (see above)

Addition

Contact block type: HW-P (early make), HW-PW 2
Overvoltage category: II
Pollution degree: 3 (Contact)
Rated conditional short-circuit current: 100A
Protection Class: for use in class I/II equipment
Frequency: 50/60Hz, DC
Rated Impulse Voltage: 4kV
IP-degree: IP65 (Front Panel)
IP20 (Terminal)
IP40 (Only for dual pushbutton switch)



Remark: Replaces R 50391189 page 0013 issued on 25.06.2020.

2

ANLAGE (Appendix): 1.2

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.

This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifizierungsstelle

Adrian Fuentes

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0014

Ihr Zeichen *Client Reference*
19-306-086N-1

Unser Zeichen *Our Reference*
ZK-RYK-09560665 020

Ausstellungsdatum *Date of Issue*
24.09.2020
(day/mo/yr)

Genehmigungsinhaber *License Holder*
IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*
IDEC CORPORATION
Takino Plant
355-18 Kuroishi, Kohtaka
Kato-shi, Hyogo
679-0221 Japan

Prüfzeichen *Test Mark*



Bauart geprüft
Sicherheit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*
EN 60947-5-1:2017
IEC 60947-5-1:2016

Zertifiziertes Produkt (*Geräteidentifikation*)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Niederspannungs-Schaltgerätekombination Pushbutton Switch/Selector Switch,
as page 0001

Addition

Utilization Category for Contact Block Type HW-PW:
AC-15 AC-15 AC-15 DC-13
Operational Voltage: 250V 400V 600V 125V
Operational Current: 3A 2A 1,2A 1,1A
Insulation Voltage: 600V

Utilization Category for Contact Block
Type HW-P (early make), HW-PW (early make):
AC-15 (A300) AC-15 (A300) DC-13
Operational Voltage: 120V 240V 125V
Operational Current: 6A 3A 0,9A
Insulation Voltage: 300 V

Remark: Replaces R 50391189 page 0014 issued on 25.06.2020.



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht. This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifizierungsstelle

Adrian Fuentes

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0015

Ihr Zeichen *Client Reference*
20-306-032N

Unser Zeichen *Our Reference*
ZK--09560665 020

Ausstellungsdatum *Date of Issue*
24.09.2020
(day/mo/yr)

Genehmigungsinhaber *License Holder*
IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*
IDEC IZUMI TAIWAN CORP.
HO FA MFG Factory
No. 85, Heye 3rd Road
Daliao District
Kaohsiung 831
Taiwan, R.O.C.

Prüfzeichen *Test Mark*



Type Approved
Safety
Regular Production
Surveillance

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*
EN 60947-5-1:2017
IEC 60947-5-1:2016

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Low-voltage switchgear and controlgear assembly Pushbutton Switch/Selector Switch, as page 0001

Addition

Factory: (see above)

Change

Factory: IDEC Izumi Taiwan Corp.
87, Swi Kuan Road, Chu Hou Village
Jen Wu District, Kaohsiung City 81465
Taiwan, R.O.C.

withdrawn



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

Tel.: +49 221 806-1371 e-mail: cert-validity@de.tuv.com
Fax: +49 221 806-3935 http://www.tuv.com/safety

Zertifizierungsstelle

Adrian Fuentes

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50391189

Blatt *Sheet*
0016

Ihr Zeichen *Client Reference*
23-306-027N

Unser Zeichen *Our Reference*
ZK-RYK-09560665 021

Ausstellungsdatum *Date of Issue*
02.02.2024 (day/mo/yr)

Genehmigungsinhaber *License Holder*
IDEC CORPORATION
2-6-64 Nishi-Miyahara
Yodogawa-ku, Osaka
532-0004 Japan

Fertigungsstätte *Manufacturing Plant*
IDEC ASIA (THAILAND) CO., LTD.
62 Moo.4 Tambon Bualoy
Amphur Nongkhae
Saraburi Province 18230
Thailand

Prüfzeichen *Test Mark*



Type Approved
Safety
Regular Production
Surveillance

www.tuv.com
ID 1419051848

Geprüft nach *Tested acc. to*
EN 60947-5-1:2017
IEC 60947-5-1:2016

**Zertifiziertes Produkt (Geräteidentifikation)
*Certified Product (Product Identification)***

**Lizenzentgelte - Einheit
*License Fee - Unit***

Low-voltage switchgear and controlgear assembly Pushbutton Switch/Selector Switch, as page 0001

Addition

Factory: (see above)



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

Zertifizierungsstelle

Adrian Fuentes

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

http://www.tuv.com/safety E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

Constructional Data Form (EN 60947-5-1)

Type Designation for final product

Pushbutton or Illuminated Pushbutton Switch

HW 2 L - M 1 M - 10 N1 H 2 R - 12V - MAU - *****
I II III IV V VI VII VIII IX X XI XII XIII XIV XV

I: Series HW

II: Bezel shape

- 1 ---- Round
- 2 ---- Square
- 3 ---- Round with square
- 4 ---- Round, metal type

III: Operator function

- B ---- Non-illuminated pushbutton
- L ---- Illuminated pushbutton

IV: Function

- M ---- Momentary
- A ---- Alternate
- MF ---- Momentary with full-guard
- AF ---- Alternate with full-guard

V: Operator shape

- 0 ---- Without lens unit, pushbutton unit
- 1 ---- Flush
- 2 ---- Extended
- 3 ---- Mushroom
- 4 ---- Jumbo mushroom
- 5 ---- Extra-Jumbo mushroom

VI: Bezel configuration

- M ---- Metal
- None ---- Plastic, black
- R ---- Plastic, red
- G ---- Plastic, green
- Y ---- Plastic, yellow
- S ---- Plastic, blue

VII: Applicable contact block

- None ---- With HW-G, HW-U series contact block
- F ---- With HW-F, HW-U series contact block
- P ---- With HW-P series contact block

VIII: Contact configuration

Two alphanumeric characters - to specify NC/NO contact(s)

IX: Contact blocks and transformer mounting position

None, N1, N2, N3, N4, N5, N6, N7, N8 or N9

X: Applicable transformer

- H ---- Type HW-L or HW-T or TW-F, primary voltage 100/110 V
- H5 ---- Type HW-L or TW-F, primary voltage 115 V
- H2 ---- Type HW-L or TW-F, primary voltage 120 V or Type HW-T, primary voltage 115/120 V
- M ---- Type HW-L or HW-T or TW-F, primary voltage 200/220 V
- M3 ---- Type HW-L or TW-F, primary voltage 230 V
- M4 ---- Type HW-L or TW-F, primary voltage 240 V or Type HW-T, primary voltage 230/240 V
- S ---- Type HW-L or TW-F, primary voltage 380 V
- T ---- Type HW-L or TW-F, primary voltage 400/440 V
- T8 ---- Type HW-L or TW-F, primary voltage 480 V
- Q ---- Without transformer
- None ---- Non-illuminated type operator

TÜV Rheinland

Osaka, Japan
(Place)

June 17, 2020
(Date)

2020-06-18
(Date)

R. Kawasaki
(Signature)

IDEC CORPORATION

R. Kido
(Stamp and Signature of Applicant)

Constructional Data Form (EN 60947-5-1)

XI: Lamp operating voltage

- 0 ---- Without lamp
- 1 ---- LED lamp, 5 V
- 2 ---- LED lamp, 6 V
- 3 ---- LED lamp, 12 V
- 4 ---- LED lamp, 24 V
- 5 ---- Incandescent lamp, 6 V
- 6 ---- Incandescent lamp, 12 V
- 7 ---- Incandescent lamp, 24 V
- 8 or H2 ---- LED lamp, 120 V
- M ---- LED lamp, 220 V
- 9 or M4 ---- LED lamp, 240 V
- D ---- apply XIII: Lamp operating voltage
- None ---- Non-illuminated type operator

XII: Button color/Lens color

- B/B ---- Black
- R/R ---- Red
- G/G ---- Green
- Y/Y ---- Yellow
- A/A ---- Amber
- W/W ---- White
- S/S ---- Blue
- N/N ---- Gray
- PW/PW ---- Pure White
- WR/WR ---- Red color LED with white color Lens
- WG/WG ---- Green color LED with white color Lens
- WAWA ---- Amber color LED with white color Lens
- WS/WS ---- Blue color LED with white color Lens

XIII: Lamp operating voltage (apply XI: Lamp operating voltage D)

- 6V ---- 6 V AC/DC
- 12V ---- 12 V AC/DC
- 24V ---- 24 V AC/DC
- 120V ---- 120 V or 100/120V AC/DC
- 220V ---- 200/220V AC
- 240V ---- 240 V AC/DC or 230/240V AC

XIV: Special Contact

- MAU ---- Gold plated contact
- None ---- Normal contact

XV: Manufacturer Control No. (may be followed)

Any suffixes, nine digits max.

TÜV Rheinland

Osaka, Japan

June 17, 2020

(Place)

(Date)

2020-06-18

(Date)

R. Kawasaki

(Signature)

IDEC CORPORATION

(Stamp and Signature of Applicant)

R. Mich

Certificate No.: R 50391189
Our reference: ZK-RYK-09560665 019
Appendix No.: 1.2



Constructional Data Form (EN 60947-5-1)

Page
25/31

Selector Switch

HW 1 E - 2 J L - M - 10 N1 H 2 A R - 12V - MAU - *****
I II III IV V VI VII VIII IX X XI XII XIII XIV XV XVI XVII XVIII XIX

I: Series HW

II: Bezel shape

- 1 ---- Round
- 3 ---- Round with square
- 4 ---- Round, metal type

III: Operator function

- S ---- Selector
- K ---- Key selector
- F ---- Illuminated selector

IV: Function

- 2 ---- 2-position, maintained
- 21 ---- 2-position, spring return from right
- 22 ---- 2-position, spring return from left
- 3 ---- 3-position, maintained
- 31 ---- 3-position, spring return from right
- 32 ---- 3-position, spring return from left
- 33 ---- 3-position, 2-way spring return
- 4 ---- 4-position, maintained
- 5 ---- 5-position, maintained

V: Manufacturer's control code

J, S or None

VI: Operator shape

For Selector

- None ---- Knob handle
- L ---- Lever handle
- M ---- Round handle
- T ---- Knob handle with low profile bezel

For Key selector

- M ---- Applicable to Master key
- None ---- Not applicable to Master key and Pin tumbler
- P ---- Applicable to Pin tumbler

For Illuminated selector

- None ---- Knob handle with low profile bezel
- L ---- Lever handle

VII: Key removable configuration for key selector

- A ---- Key is removable in any maintained position
- B ---- Key is not removable in right position
- C ---- Key is not removable in left position
- D ---- Key is removable in center position (3-position type)
- E ---- Key is not removable in center position (3-position type)
- G ---- Key is removable in left position (3-position type)
- H ---- Key is removable in right position (3-position type)

VIII: Bezel configuration

- M ---- Metal
- None ---- Plastic, black
- R ---- Plastic, red
- G ---- Plastic, green
- Y ---- Plastic, yellow
- S ---- Plastic, blue

TÜV Rheinland

Osaka, Japan
(Place)

June 17, 2020
(Date)

2020-06-18
(Date)

R. Kawasaki
(Signature)

IDEC CORPORATION

R. Kishi
(Stamp and Signature of Applicant)

Constructional Data Form (EN 60947-5-1)

IX: Applicable contact block

- None ----- With HW-G, HW-U series contact block
- F ----- With HW-F, HW-U series contact block
- P ----- With HW-P series contact block

X: Contact configuration

Two alphanumeric characters - to specify NC/NO contact(s)

XI: Contact blocks and transformer mounting position

None, N1, N2, N3, N4, N5, N6, N7, N8 or N9

XII: Applicable transformer

- H ----- Type HW-L or HW-T or TW-F, primary voltage 100/110V
- H5 ----- Type HW-L or TW-F, primary voltage 115V
- H2 ----- Type HW-L or TW-F, primary voltage 120V or Type HW-T, primary voltage 115/120V
- M ----- Type HW-L or HW-T or TW-F, primary voltage 200/220V
- M3 ----- Type HW-L or TW-F, primary voltage 230V
- M4 ----- Type HW-L or TW-F, primary voltage 240V or Type HW-T, primary voltage 230/240V
- S ----- Type HW-L or TW-F, primary voltage 380V
- T ----- Type HW-L or TW-F, primary voltage 400/440V
- T8 ----- Type HW-L or TW-F, primary voltage 480V
- Q ----- Without transformer
- None ----- Non-illuminated type operator

XIII: Lamp operating voltage

- 0 ----- Without lamp
- 1 ----- LED lamp, 5 V
- 2 ----- LED lamp, 6 V
- 3 ----- LED lamp, 12 V
- 4 ----- LED lamp, 24 V
- 5 ----- Incandescent lamp, 6 V
- 6 ----- Incandescent lamp, 12 V
- 7 ----- Incandescent lamp, 24 V
- 8 or H2 ----- LED lamp, 120 V
- M ----- LED lamp, 220 V
- 9 or M4 ----- LED lamp, 240 V
- D ----- apply XVI: Lamp operating voltage
- None ----- Non-illuminated type operator

XIV: Master key number for key selector

- A to Z ----- Any 1 alphabet
- None ----- Not applicable to Master key number

XV: Cap color for selector/Lens color for illuminated selector

For selector

- BR/BR ----- Black handle with Red cap
- BY/BY ----- Black handle with Yellow cap
- BG/BG ----- Black handle with Green cap
- BS/BS ----- Black handle with Blue cap
- BB/BB ----- Black handle with Black cap

For illuminated selector

- R/R ----- Red
- Y/Y ----- Yellow
- G/G ----- Green
- S/S ----- Blue
- A/A ----- Amber
- W/W ----- White
- PW/PW ----- Pure White

TÜV Rheinland

Osaka, Japan

June 17, 2020

(Place)

(Date)

2020-06-18

R. Kawasaki

(Date)

(Signature)

IDEC CORPORATION

R. Wido

(Stamp and Signature of Applicant)

Constructional Data Form (EN 60947-5-1)

XVI: Lamp operating voltage (apply XIII: Lamp operating voltage D)

- 6 V ----- 6 V AC/DC
- 12 V -----12 V AC/DC
- 24 V -----24 V AC/DC
- 120V -----120 V or 100/120V AC/DC
- 220V ----- 200/220V AC
- 240V -----240 V AC/DC or 230/240V AC

XVII: Subordinate key number for key selector

- # ----- Any number and/or letters
- None -----Not applicable to Subordinate key number

XVIII: Special Contact

- MAU ----- Gold plated contact
- None ----- Normal contact

XIX: Manufacturer Control No. (may be followed)

- Any suffixes, nine digits max.

Selector pushbutton Switch

HW 1 R - 2 D F 11 N1 R - MAU - *****
I II III IV V VI VII VIII IX X XI

I: Series HW

II: Bezel shape

- 1 ----- Round
- 4 ----- Round, metal type

III: Operator function

- R ----- Selector pushbutton

IV: Function

- 2 ----- 2-position

V: Special function (Manufacturer's control code)

- A, C, D, E, F, G, N or T

VI: Applicable contact block

- None ----- With HW-G, HW-U series contact block
- F ----- With HW-F, HW-U series contact block
- P ----- With HW-P series contact block

VII: Contact configuration

- Two alphanumeric characters - to specify NC/NO contact(s)

VIII: Contact blocks mounting position

- None, N1, N2, N3, N4, N5, N6, N7, N8 or N9

IX: Button color

- R/R ----- Red
- B/B ----- Black
- G/G ----- Green
- Y/Y ----- Yellow
- W/W ----- White
- S/S ----- Blue
- N/N ----- Gray

X: Special Contact

- MAU ----- Gold plated contact
- None ----- Normal contact

XI: Manufacturer Control No. (may be followed)

- Any suffixes, nine digits max.

TÜV Rheinland

Osaka, Japan

June 17, 2020

(Place)

(Date)

2020-06-18



(Date)

(Signature)

IDEC CORPORATION



(Stamp and Signature of Applicant)

Constructional Data Form (EN 60947-5-1)

Monolever Switch

HW 1 M - L F 1 1 2 1 - 22 N1 - MAU - *****
I II III IV V VI VII VIII IX X XI XII XIII

- I: Series HW
- II: Bezel shape
 - 1 ----- Round
 - 4 ----- Round, metal type
- III: Operator function
 - M ----- Monolever switch
- IV: Lever mechanism
 - Blank ----- Without-interlocking type
 - L ----- With-interlocking type
- V: Applicable contact block
 - None ----- With HW-G, HW-U series contact block
 - F ----- With HW-F, HW-U series contact block
 - P ----- With HW-P series contact block
- VI: Lever operational mode (Up position)
 - 1 ----- Lever is maintained.
 - 2 ----- Lever is spring returned.
 - 0 ----- Lever is blocked.
- VII: Lever operational mode (Right position)
 - 1 ----- Lever is maintained.
 - 2 ----- Lever is spring returned.
 - 0 ----- Lever is blocked.
- VIII: Lever operational mode (Down position)
 - 1 ----- Lever is maintained.
 - 2 ----- Lever is spring returned.
 - 0 ----- Lever is blocked.
- IX: Lever operational mode (Left position)
 - 1 ----- Lever is maintained.
 - 2 ----- Lever is spring returned.
 - 0 ----- Lever is blocked.
- X: Contact configuration
 - Two alphanumeric characters - to specify NC/NO contact(s)
- XI: Contact blocks mounting position
 - None, N1, N2, N3, N4, N5, N6, N7, N8 or N9
- XII: Special Contact
 - MAU ----- Gold plated contact
 - None ----- Normal contact
- XIII: Manufacturer Control No. (may be followed)
 - Any suffixes, nine digits max.

TÜV Rheinland

Osaka, Japan
(Place)

June 17, 2020
(Date)

2020-06-18
(Date)

R. Kawasaki
(Signature)

IDEC CORPORATION

R. Wido
(Stamp and Signature of Applicant)

Constructional Data Form (EN 60947-5-1)

Dual Push-button

HW 7 D - B 1 1 - 10 01 Q 4 R GR 1 - MAU - *****
 I II III IV V VI VII VIII IX X XI XII XIII XIV XV XVI

I: Series HW

II: Bezel shape

7 ---- Rectangular

III: Function

D ---- Double pushbutton

IV: Non-illuminated / illuminated

B ---- Non-illuminated push-button

L ---- Illuminated push-button

V: Operation mode

1 ---- Momentary

2 ---- Momentary with Interlock

3 ---- Maintain

VI: Operator shape

1 ---- Flush + Flush

2 ---- Flush + Extended

VII: Applicable contact block

None ----- With HW-G, HW-U series contact block

F ---- With HW-F, HW-U series contact block

P ---- With HW-P series contact block

VIII: Contact configuration (Upper)

Two alphanumeric characters - to specify NC/NO contact(s)

IX: Contact configuration (Lower)

Two alphanumeric characters - to specify NC/NO contact(s)

X: Applicable transformer

H ---- Type HW-L or HW-T or TW-F, primary voltage 100/110 V

H5 ---- Type HW-L or TW-F, primary voltage 115 V

H2 ---- Type HW-L or TW-F, primary voltage 120 V or Type HW-T, primary voltage 115/120 V

M ---- Type HW-L or HW-T or TW-F, primary voltage 200/220 V

M3 ---- Type HW-L or TW-F, primary voltage 230 V

M4 ---- Type HW-L or TW-F, primary voltage 240 V or Type HW-T, primary voltage 230/240 V

S ---- Type HW-L or TW-F, primary voltage 380 V

T ---- Type HW-L or TW-F, primary voltage 400/440 V

T8 ---- Type HW-L or TW-F, primary voltage 480 V

Q ---- Without transformer

None ---- Non-illuminated type operator

XI: Lamp operating voltage

0 ---- Without lamp

1 ---- LED lamp, 5 V

2 ---- LED lamp, 6 V

3 ---- LED lamp, 12 V

4 ---- LED lamp, 24 V

5 ---- Incandescent lamp, 6 V

6 ---- Incandescent lamp, 12 V

7 ---- Incandescent lamp, 24 V

8 or H2 ---- LED lamp, 120 V

M ---- LED lamp, 220 V

9 or M4 ---- LED lamp, 240 V

TÜV Rheinland

Osaka, Japan

June 17, 2020

(Place)

(Date)

2020-06-18

(Date)

R. Kawasaki

(Signature)

IDEC CORPORATION

(Stamp and Signature of Applicant)

R. Mich

Constructional Data Form (EN 60947-5-1)

XII None ----- Non-illuminated type operator
 : Lamp color
 None--- Without lamp / Non-illuminated
 R ----- Red LED
 G ----- Green LED
 Y ----- Yellow LED
 A ----- Amber LED
 W ----- White LED / Incandescent lamp
 S ----- Blue LED
 PW----- Pure White

XIII: Button color (Upper position+ Lower position)

-G R / G R

*1 *2 *1 *2

*1: Upper position button color *2: Lower position button color

G ----- Green
 R ----- Red
 W ----- White
 B ----- Black
 S ----- Blue
 Y ----- Yellow

XIV: Button Marking

None - Without Marking
 1 ----- "I" & "ON" / "O" & "OFF"
 2 ----- "ON" / "OFF"
 3 ----- "I" / "O"
 4 ----- "START" / "STOP"

XV: Special Contact

MAU ----- Gold plated contact
 None ----- Normal contact

XVI : Manufacturer Control No. (may be followed)

Any suffixes, nine digits max.

Pushlock Turn Reset or Pushlock Key Reset Switch

HW 1 B - V 3 F 01 N1 Y - MAU - *****
 I II III IV V VI VII VIII IX X XI

I: Series HW

II: Bezel shape

1 ----- Round
 4 ----- Round, metal type

III: Operator function

B ----- Non-illuminated pushbutton

IV: Function

V ----- Pushlock turn reset
 X ----- Pushlock key reset

V: Operator shape

3 ----- Mushroom
 4 ----- Jumbo mushroom

TÜV Rheinland .

Osaka, Japan

June 17, 2020

(Place)

(Date)

2020-06-18

(Date)

R. Kawasaki
 (Signature)

IDEC CORPORATION

(Stamp and Signature of Applicant)

R. Kido

Constructional Data Form (EN 60947-5-1)

- 5 ----- Extra-Jumbo mushroom
- VI: Applicable contact block
 None ----- With HW-G, HW-U series contact block
 F ----- With HW-F, HW-U series contact block
 P ----- With HW-P series contact block
- VII : Contact configuration
 Two alphanumeric characters - to specify NC/NO contact(s)
- VIII: Contact blocks mounting position
 None, N1, N2, N3, N4, N5, N6, N7, N8 or N9
- IX: Button color
 -Y/Y ----- Yellow
- X: Special Contact
 MAU ----- Gold plated contact
 None ----- Normal contact
- XI: Manufacturer Control No. (may be followed)
 Any suffixes, nine digits max.

Push-Pull Switch

HW 1 B - Y 2 F 01 N1 Y - MAU - *****
 I II III IV V VI VII VIII IX X XI

- I: Series HW
- II: Bezel shape
 1 ----- Round
 4 ----- Round, metal type
- III: Operator function
 B ----- Non-illuminated pushbutton
- IV: function
 Y ----- Push-pull
- V: Operator shape
 2 ----- 2 positions maintained
- VI: Applicable contact block
 None ----- With HW-G, HW-U series contact block
 F ----- With HW-F, HW-U series contact block
 P ----- With HW-P series contact block
- VII: Contact configuration
 Two alphanumeric characters - to specify NC/NO contact(s)
- VIII: Contact blocks mounting position
 None, N1, N2, N3, N4, N5, N6, N7, N8 or N9
- IX: Button color
 -Y/Y ----- Yellow
- X: Special Contact
 MAU ----- Gold plated contact
 None ----- Normal contact
- XI: Manufacturer Control No. (may be followed)
 Any suffixes, nine digits max.

TÜV Rheinland

Osaka, Japan

June 17, 2020

(Place)

(Date)

2020-06-18

(Date)

R. Kawasaki

(Signature)

IDEC CORPORATION

(Stamp and Signature of Applicant)

R. Kido