



# 中国国家强制性产品认证证书

证书编号：2024010305634862

## 认证委托人名称及地址

IDEC 株式会社  
日本大阪市淀川区西宫原2丁目6番64号

## 生产者名称及地址

IDEC 株式会社  
日本大阪市淀川区西宫原2丁目6番64号

## 生产企业名称及地址

IDEC 株式会社一滝野工厂  
日本国兵庫県加东市河高字黑石355-18

## 产品名称和系列、型号、规格

开关

LW; Ui:250V;Uimp:2.5kV;lth:镀金银接点:3A,银接点:5A;镀金银接点 AC-12: Ue:AC125V;  
Ie:0.1A; DC-12: Ue:DC30V; Ie:0.1A; 银接点 AC-12: Ue:AC250V; Ie:2A, 5A; DC-12:  
Ue:DC30V; Ie:2A, 5A; IP65(操作面); 安装孔:正方形(边长):24.5mm. 型号解释详见附页

## 产品标准和技术要求

GB/T 14048.5-2017

上述产品符合《强制性产品认证实施规则 低压电器 低压元器件》  
(CNCA-C03-02:2024)的要求,特发此证。

发证日期:2024年05月29日 有效期至:2029年05月28日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验,  
也可在认监委网站([www.cnca.gov.cn](http://www.cnca.gov.cn))查询。



签发:

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司





# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

**CERTIFICATE NO.:** 2024010305634862

**NAME AND ADDRESS OF THE APPLICANT**

IDEC CORPORATION  
6-64 Nishimiyahara 2-chome, Yodogawa-Ku, Osaka 532-0004 Japan

**NAME AND ADDRESS OF THE MANUFACTURER**

IDEC CORPORATION  
6-64 Nishimiyahara 2-chome, Yodogawa-Ku, Osaka 532-0004 Japan

**NAME AND LOCATION OF THE FACTORY**

IDEC CORPORATION - TAKINO PLANT  
355-18 Aza-Kuroishi, Kotaka, Kato-Shi, Hyogo 679-0221, Japan

**PRODUCT NAME,MODEL AND SPECIFICATION**

Switch

LW ; Ui:250V;Uimp:2.5kV;lth:Gold-plated silver contacts:3A, Silver contacts:5A;Gold-plated silver contacts : AC-12: Ue:AC125V; Ie:0.1A; DC-12: Ue:DC30V; Ie:0.1A; Silver contacts : AC-12: Ue:AC250V; Ie:2A, 5A; DC-12: Ue:DC30V; Ie:2A, 5A; IP65(Working face) ; Aperture:Square: 24.5mm. See the Appendix for type explanation

**STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS**

GB/T 14048.5-2017

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C03-02:2024).

**Valid from:** May.29,2024

**Valid until:** May.28,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





# 中国国家强制性产品认证证书

证书编号：2024010305634862

证书附页：第 1 页 共 5 页

型号的解释：

按钮开关

$\frac{LW}{1} \frac{7}{2} \frac{B}{3} - \frac{M}{4} \frac{1}{5} \frac{C}{6} \frac{2}{7} \frac{V}{8} \frac{R}{9} - \frac{*****}{10}$

1. 标准型号LW 系列

2. 操作部形状 (可选)

7 : 正方形平面镶嵌框型;

7G: 正方形保护罩式平面镶嵌框型;

3. 操作部件 (可选)

B : 按钮

4. 工作类型 (可选)

M : 瞬时型; A : 交替型;

5. 操作部件形状 (可选)

1 : 平头形; 2 : 凸头形 (仅限操作

部形状: 7);

6. 触点块

C : 标准型

7. 触点结构

1 : 1C(镀金银触点); 2 : 2C(镀

金银触点);

3 : 3C(镀金银触点); 5 : 1C(银

触点);

6 : 2C(银触点); 7 : 3C(银

触点);

8. 端子形状

空白: 焊接兼用型翼片端子; V : PC

板端子

M : 接线螺丝端子 (触点结构:3, 7 除外)

本页为证书附页, 应与证书主页同时使用。



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



# 中国国家强制性产品认证证书

证书编号：2024010305634862

证书附页：第 2 页 共 5 页

9. 按钮颜色 (可选)
- R : 红; G : 绿; Y : 黄 ;  
W : 乳白;  
S : 蓝; B : 黑; LR : 红 ;  
LG : 绿;  
LA : 琥珀; LY : 黄; LW :  
乳白; LS : 蓝;  
LB : 黑;

10. 制造厂备案编号 (可选) \*\*\*\*\*: 各种字符  
照明按钮开关

$\frac{LW}{1} \frac{7}{2} \frac{L}{3} - \frac{M}{4} \frac{1}{5} \frac{C}{6} \frac{2}{7} \frac{4}{8} \frac{V}{9} \frac{R}{10} - \frac{*****}{11}$

1. 标准型号 LW 系列  
2. 操作部形状 (可选) 7 : 正方形平面镶嵌框型  
7G: 正方形保护罩式平面镶嵌框型  
L : 照明按钮  
3. 操作部件 (可选) M : 瞬时型; A : 交替型;  
4. 工作类型 (可选) 1 : 平头形  
5. 操作部件形状 (可选) C : 标准型  
6. 触点块 1 : 1C(镀金银触点); 2 : 2C(镀金  
银触点); 3 : 3C(镀金银触点); 5 : 1C(银触  
点); 6 : 2C(银触点); 7 : 3C(银触  
点);  
7. 触点结构  
8. 对应指示灯额定电压 (可选) 0 : 无灯泡; 1 : LED : 5V  
DC;

本页为证书附页, 应与证书主页同时使用。



**中国质量认证中心**  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



# 中国国家强制性产品认证证书

证书编号：2024010305634862

证书附页：第 3 页 共 5 页

- AC/DC; 2 : LED : 6V AC/DC; 3 : LED : 12V
- AC/DC; 4 : LED : 24V AC/DC; 5 : 白炽灯: 6V
- 24V AC/DC; 6 : 白炽灯: 12V AC/DC; 7 : 白炽灯:
- 9. 端子形状
  - 空白: 焊接兼用型翼片端子
  - V : PC 板端子
  - M : 接线螺丝端子(触点结构:3, 7 除外)
- 10. 灯罩颜色 (可选)
  - R : 红; G : 绿; A : 琥珀;
  - Y : 黄; W : 乳白; S : 蓝;
  - PW : 纯白 (灯泡: 白炽灯 除外);
  - WR : (乳白灯罩单元): 红照明;
  - WG : (乳白灯罩单元): 绿照明;
  - WA : (乳白灯罩单元): 琥珀照明;
  - WS : (乳白灯罩单元): 蓝照明;
- 11. 制造厂备案编号 (可选) \*\*\*\*\*: 各种字符

## 选择开关

$\frac{LW}{1} \frac{7}{2} \frac{S}{3} - \frac{2}{4} \frac{C}{5} \frac{2}{6} \frac{4}{7} \frac{V}{8} \frac{10}{9} - \frac{*****}{11}$

- 1. 标准型号 LW 系列
- 2. 操作部形状 (可选) 7 : 正方形平面镶嵌框型
- 3. 操作类型 (可选) S : 选择
- 4. 工作类型 (可选) F : 照明选择
  - 2 : 2 位置; 3 : 3 位
  - 21 : 2 位置、右侧返回; 31 : 3 位
  - 32 : 3 位置、左侧返回; 33 : 3 位
- 5. 操作部形状 (可选) 空白: 标准旋钮型

本页为证书附页，应与证书主页同时使用。



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



# 中国国家强制性产品认证证书

证书编号：2024010305634862

证书附页：第 4 页 共 5 页

- |                    |                                 |
|--------------------|---------------------------------|
| 6. 触点块             | L : 长柄型 (仅限 操作类型: S)            |
| 7. 触点结构<br>触点) ;   | C : 标准型                         |
| 触点) ;              | 1 : 1C(镀金银触点) ; 2 : 2C(镀金银触点) ; |
| 触点) ;              | 3 : 3C(镀金银触点) ; 5 : 1C(银触点) ;   |
| 8. 对应指示灯额定电压 (可选)  | 6 : 2C(银触点) ; 7 : 3C(银触点)       |
| LED : 5V DC ;      | 空白 : 无照明 ;                      |
| 12V AC/DC ;        | 0 : 无灯泡 ; 1 :                   |
| 灯: 6V AC/DC ;      | 2 : LED : 6V AC/DC ; 3 : LED :  |
| 24V AC/DC ;        | 4 : LED : 24V AC/DC ; 5 : 白炽    |
| 9. 端子形状            | 6 : 白炽灯: 12V AC/DC ; 7 : 白炽灯:   |
| 10. 灯罩 / 按钮颜色 (可选) | 空白 : 焊接兼用型翼片端子                  |
| 琥珀 ;               | V : PC 板端子                      |
| (仅限 操作类型: F)       | M : 接线螺丝端子 (触点结构: 3, 7 除外)      |
|                    | R : 红 ; G : 绿 ; A : 琥珀          |
|                    | Y : 黄 ; W : 乳白 ; S : 蓝 ;        |
|                    | PW : 纯白 (灯泡: 白炽灯 除外) ;          |
|                    | WR : (乳白灯罩单元): 红照明 ;            |
|                    | WG : (乳白灯罩单元): 绿照明 ;            |
|                    | WA : (乳白灯罩单元): 琥珀照明 ;           |
|                    | WS : (乳白灯罩单元): 蓝照明 ;            |
| 11. 制造厂备案编号 (可选)   | *****: 各种字符                     |

本页为证书附页，应与证书主页同时使用。



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



# 中国国家强制性产品认证证书

证书编号：2024010305634862

证书附页：第 5 页 共 5 页

触点块			
触点块	触点结构	触点材料	備考
LW-C1	1C	镀金银接点	按钮开关 选择开关
LW-C2	2C		
LW-C3	3C		
LW-C10	1C		照明按钮开关 照明选择开关
LW-C20	2C		
LW-C30	3C		
LW-C5	1C	银接点	按钮开关 选择开关
LW-C6	2C		
LW-C7	3C		
LW-C50	1C		照明按钮开关 照明选择开关
LW-C60	2C		
LW-C70	3C		

本页为证书附页，应与证书主页同时使用。



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司